

Odcinek drogi Nr 673
"wyrównanie podbudowy kruszywem"
w km 4+800 - 5+795

Załącznik Nr 2

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia	Odległość	Objętość
		W.K.	w,K,		W.K.
		m ²	m ²		m ³
4	875,00	0,900			
	900,00	0,690	0,795	25,00	19,88
	925,00	1,850	1,270	25,00	31,75
	940,00	2,260	2,055	15,00	30,83
	950,00	1,750	2,005	10,00	20,05
	975,00	0,920	1,335	25,00	33,38
			1,015	25,00	25,38
5	0,00	1,110			
	25,00	1,140		25,00	
			0,570	25,00	14,25
	50,00	0,000		25,00	
	75,00	0,000			
			0,215	25,00	5,38
	100,00	0,430			
			0,785	25,00	19,63
	125,00	1,140			
			1,165	25,00	29,13
	150,00	1,190			
			0,990	25,00	24,75
	175,00	0,790			
			0,900	25,00	22,50
	200,00	1,020			
			0,510	25,00	12,75
	225,00	1,010			
			0,505	25,00	12,63
	250,00	0,000			
				25,00	
	275,00	0,000			
				13,00	
	288,00	0,000			
			0,865	12,00	10,38
	300,00	1,730			
			2,045	6,00	12,27
	306,00	2,360			
			2,190	19,00	41,61
	325,00	2,020			
			1,770	25,00	44,25
	350,00	1,520			
			1,330	25,00	33,25
	375,00	1,140			
			0,915	25,00	22,88
	400,00	0,690			
			0,345	25,00	8,63
	425,00	0,000			
			0,350	25,00	8,75
	450,00	0,700			
			0,850	25,00	21,25
	475,00	1,000			
			0,995	25,00	24,88
	500,00	0,990			
			0,495	25,00	12,38
	525,00	0,000			
				25,00	
	550,00	0,000			
				25,00	
	575,00	0,000			
			0,400	25,00	10,00
	600,00	0,800			
			1,120	25,00	28,00
	625,00	1,440			
			1,595	25,00	39,88
	650,00	1,750			
			1,315	25,00	32,88
	675,00	0,880			

Odcinek drogi Nr 673
"wyrównanie podbudowy kruszywem"
w km 4+800 - 5+795

Załącznik Nr 2

	0,000	0,000			
	700,00	1,150	1,015	25,00	25,38
	725,00	0,670	0,575	25,00	14,38
	750,00	0,000	0,335	25,00	8,38
	775,00	0,000		25,00	
	795,00	0,000		20,00	
				920,00	701,64

Odcinek drogi Nr 673
"wyrównanie podbudowy kruszywem"
w km 4+800 - 5+795

Załącznik Nr 2