

Tabela nr 1 do przedmiaru robót

Wyrównanie istniejącej nawierzchni mieszanką mineralno - bitumiczną

| Lokalizacja [km] | Projektowana niweleta [km] | P [m ²] | Pśr [m ²] | L [m] | V [m ³] |
|------------------|----------------------------|---------------------|-----------------------|-------|---------------------|
| a | b | c | d | e | f |
| 89+925,00 | 0+000,00 | 0,0000 | | | |
| | | | 0,0000 | 5,00 | 0,000 |
| 89+930,00 | 0+005,00 | 0,0000 | | | |
| | | | 0,0633 | 10,00 | 0,633 |
| 89+940,00 | 0+015,00 | 0,1266 | | | |
| | | | 0,1913 | 10,00 | 1,913 |
| 89+950,00 | 0+025,00 | 0,2560 | | | |
| | | | 0,2673 | 10,00 | 2,673 |
| 89+960,00 | 0+035,00 | 0,2785 | | | |
| | | | 0,3007 | 10,00 | 3,007 |
| 89+970,00 | 0+045,00 | 0,3229 | | | |
| | | | 0,2892 | 10,00 | 2,892 |
| 89+980,00 | 0+055,00 | 0,2555 | | | |
| | | | 0,2808 | 10,00 | 2,808 |
| 89+990,00 | 0+065,00 | 0,3060 | | | |
| | | | 0,3060 | 10,00 | 3,060 |
| 90+000,00 | 0+075,00 | 0,3060 | | | |
| | | | 0,3060 | 10,00 | 3,060 |
| 90+010,00 | 0+085,00 | 0,3060 | | | |
| | | | 0,3313 | 10,00 | 3,313 |
| 90+020,00 | 0+095,00 | 0,3566 | | | |
| | | | 0,3176 | 10,00 | 3,176 |
| 90+030,00 | 0+105,00 | 0,2785 | | | |
| | | | 0,2089 | 10,00 | 2,089 |
| 90+040,00 | 0+115,00 | 0,1393 | | | |
| | | | 0,1752 | 10,00 | 1,752 |
| 90+050,00 | 0+125,00 | 0,2111 | | | |
| | | | 0,3114 | 10,00 | 3,114 |
| 90+060,00 | 0+135,00 | 0,4116 | | | |
| | | | 0,3979 | 10,00 | 3,979 |
| 90+070,00 | 0+145,00 | 0,3841 | | | |
| | | | 0,3367 | 10,00 | 3,367 |
| 90+080,00 | 0+155,00 | 0,2892 | | | |
| | | | 0,2364 | 10,00 | 2,364 |
| 90+090,00 | 0+165,00 | 0,1836 | | | |
| | | | 0,2364 | 10,00 | 2,364 |
| 90+100,00 | 0+175,00 | 0,2892 | | | |
| | | | 0,2586 | 10,00 | 2,586 |
| 90+110,00 | 0+185,00 | 0,2280 | | | |
| | | | 0,2418 | 10,00 | 2,418 |
| 90+120,00 | 0+195,00 | 0,2555 | | | |
| | | | 0,2333 | 10,00 | 2,333 |
| 90+130,00 | 0+205,00 | 0,2111 | | | |
| | | | 0,2533 | 10,00 | 2,533 |
| 90+140,00 | 0+215,00 | 0,2954 | | | |
| | | | 0,3313 | 10,50 | 3,479 |
| 90+150,50 | 0+225,50 | 0,3672 | | | |
| | | | 0,3091 | 9,50 | 2,936 |
| 90+160,00 | 0+235,00 | 0,2510 | | | |
| | | | 0,2932 | 10,00 | 2,932 |
| 90+170,00 | 0+245,00 | 0,3353 | | | |
| | | | 0,3912 | 10,00 | 3,912 |
| 90+180,00 | 0+255,00 | 0,4470 | | | |
| | | | 0,4582 | 10,00 | 4,582 |
| 90+190,00 | 0+265,00 | 0,4694 | | | |
| | | | 0,3572 | 10,00 | 3,572 |
| 90+200,00 | 0+275,00 | 0,2450 | | | |
| | | | 0,2873 | 10,00 | 2,873 |
| 90+210,00 | 0+285,00 | 0,3296 | | | |

| Lokalizacja [km] | Projektowana niweleta [km] | P [m ²] | Pśr [m ²] | L [m] | V [m ³] |
|---------------------|-------------------------------|------------------------|--------------------------|--------------|------------------------|
| 90+210,00 | 0+295,00 | 0,3290 | 0,2994 | 10,00 | 2,994 |
| 90+220,00 | 0+295,00 | 0,2691 | 0,3228 | 10,00 | 3,228 |
| 90+230,00 | 0+305,00 | 0,3764 | 0,3295 | 10,00 | 3,295 |
| 90+240,00 | 0+315,00 | 0,2825 | 0,3293 | 10,00 | 3,293 |
| 90+250,00 | 0+325,00 | 0,3761 | 0,3273 | 10,00 | 3,273 |
| 90+260,00 | 0+335,00 | 0,2785 | 0,3145 | 10,00 | 3,145 |
| 90+270,00 | 0+345,00 | 0,3504 | 0,3451 | 10,00 | 3,451 |
| 90+280,00 | 0+355,00 | 0,3397 | 0,3069 | 10,00 | 3,069 |
| 90+290,00 | 0+365,00 | 0,2741 | 0,4027 | 10,00 | 4,027 |
| 90+300,00 | 0+375,00 | 0,5313 | 0,5105 | 10,00 | 5,105 |
| 90+310,00 | 0+385,00 | 0,4896 | 0,3451 | 10,00 | 3,451 |
| 90+320,00 | 0+395,00 | 0,2005 | 0,1003 | 12,00 | 1,204 |
| 90+332,00 | 0+407,00 | 0,0000 | | | |
| | | | | Suma: | 119,255 |

$$119,255 \text{ m}^3 \times 2,50 \text{ t/m}^3 = 298,14 \text{ t}$$