

Wykaz drzew przeznaczonych do wycinki

Droga wojewódzka Nr 670

odcinek Suchowola - Dąbrowa Białostocka

odcinek I od km 36+000 do km 37+000

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
1	1	36+058	P	Topola	141	45
2	2	36+071	P	Topola	188	60
3	3	36+115	L	Sosna	63	20
4	4	36+115	L	Sosna	79	25
5	5	36+119	L	Sosna	63	20
6	6	36+126	L	Sosna	63	20
7	7	36+127	L	Sosna	44	14
8	8	36+142	P	Sosna	220	70
9	9	36+153	P	Sosna	126	40
10	10	36+156	P	Sosna	126	40
11	11	36+157	P	Sosna	79	25
12	12	36+157	P	Sosna	79	25
13	13	36+159	P	Sosna	69	22
14	14	36+159	P	Sosna	72	23
15	15	36+164	P	Sosna	79	25
16	16	36+165	P	Sosna	31	10
17	17	36+166	P	Sosna	63	20
18	17a	36+167	P	Sosna	63	20
19	18	36+166	P	Sosna	110	35
20	19	36+167	P	Sosna	82	26
21	20	36+169	P	Sosna	119	38
22	21	36+170	P	Sosna	63	20
23	22	36+170,5	P	Sosna	47	15
24	23	36+172	P	Sosna	94	30
25	24	36+175	P	Sosna	110	35
26	25	36+177	P	Sosna	63	20
27	26	36+177	P	Sosna	47	15
28	27	36+183	P	Sosna	132	42
29	28	36+185	P	Sosna	47	15
30	29	36+187	P	Sosna	31	10
31	30	36+190	P	Sosna	132	42
32	31	36+192	P	Sosna	31	10
33	32	36+192 - - 36+193	P	Sosna	57	18
34	33				31	10
35	34				38	12
36	35	36+196	P	Sosna	79	25
37	36	36+197	P	Sosna	79	25
38	37	36+197	P	Sosna	69	22
39	38	36+197	P	Sosna	69	22
40	39	36+199	P	Sosna	63	20
41	40	36+200	P	Sosna	31	10
42	41	36+200	P	Sosna	94	30
43	42	36+162	L	Sosna	38	12
44	43	36+164	L	Sosna	72	23
45	44	36+167	L	Sosna	31	10
46	45	36+167	L	Sosna	31	10
47	46	36+167	L	Sosna	31	10
48	47	36+168	L	Sosna	35	11
49	48	36+167	L	Sosna	35	11
50	49	36+168	L	Sosna	31	10
51	50	36+168	L	Sosna	35	11
52	51	36+168	L	Sosna	31	10
53	52	36+167	L	Sosna	31	10
54	53	36+168	L	Sosna	31	10

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
55	54	36+171	L	Sosna	110	35
56	55	36+173	L	Sosna	107	34
57	56	36+177	L	Sosna	79	25
58	57	36+177	L	Sosna	94	30
59	58	36+176	L	Sosna	31	10
60	59	36+202	P	Sosna	31	10
61	60	36+202	P	Sosna	35	11
62	61	36+203	P	Sosna	91	29
63	62	36+203	P	Sosna	94	30
64	63	36+206	P	Sosna	88	28
65	64	36+206	P	Sosna	91	29
66	65	36+206,5	P	Sosna	88	28
67	66	36+210	P	Sosna	31	10
68	67	36+210	P	Sosna	94	30
69	68	36+211	P	Sosna	38	12
70	69	36+211	P	Sosna	75	24
71	70	36+212	P	Sosna	94	30
72	71	36+215	P	Sosna	47	15
73	72	36+215	P	Sosna	69	22
74	73	36+216	P	Sosna	31	10
75	74	36+216	L	Sosna	94	30
76	75	36+217	L	Sosna	100	32
77	76	36+218	L	Sosna	104	33
78	77	36+218	P	Sosna	63	20
79	78	36+220	P	Sosna	88	28
80	79	36+221	P	Sosna	94	30
81	80	36+221	P	Sosna	91	29
82	81	36+225	P	Sosna	72	23
83	82	36+225	P	Sosna	31	10
84	83	36+226	P	Sosna	63	20
85	84	36+228	P	Sosna	31	10
86	85	36+229	P	Sosna	57	18
87	86	36+229	L	Sosna	107	34
88	87	36+230	P	Sosna	100	32
89	88	36+233	P	Sosna	31	10
90	89	36+235	P	Sosna	57	18
91	90	36+237	P	Sosna	69	22
92	91	36+237	P	Sosna	47	15
93	92	36+237	P	Sosna	79	25
94	93	36+237,5	L	Sosna	141	45
95	94	36+239	L	Sosna	94	30
96	95	36+240	P	Sosna	31	10
97	96	36+240,5	P	Sosna	47	15
98	97	36+240	P	Sosna	79	25
99	98	36+241	P	Sosna	63	20
100	99	36+244 - - 36+246	P	Sosna	94	30
101	100				57	18
102	101				66	21
103	102				79	25
104	103	36+244	L	Sosna	79	25
105	104	36+246	L	Sosna	63	20
106	105	36+247	L	Sosna	69	22
107	106	36+247	P	Sosna	94	30
108	107	36+247	P	Sosna	31	10
109	108	36+249	P	Sosna	47	15
110	109	36+250	P	Sosna	94	30
111	110	36+250	P	Sosna	47	15
112	111	36+250	P	Sosna	44	14

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
113	112	36+252	P	Sosna	31	10
114	113	36+252	P	Sosna	110	35
115	114	36+252	P	Sosna	94	30
116	115	36+252 - -36+253	P	Sosna	79	25
117	116				75	24
118	117				75	24
119	118				94	30
120	119	36+254 - -36+257	P	Sosna	63	20
121	120				57	18
122	121				31	10
123	122				31	10
124	123				57	18
125	124				126	40
126	125				63	20
127	126				36+265	P
128	127	36+265	P	Sosna	85	27
129	128	36+266 - -36+268	P	Sosna	47	15
130	129				94	30
131	130				110	35
132	131	36+268	P	Sosna	31	10
133	132	36+249	L	Sosna	79	25
134	133	36+250	L	Topola	220	70
135	134	36+261	L	Sosna	141	45
136	135	36+272	L	Sosna	126	40
137	136	36+273	L	Sosna	91	29
138	137	36+273	L	Sosna	94	30
139	138	36+278	L	Topola	345	110
140	139	36+278 - -36+280	L	Sosna	38	12
141	140				38	12
142	141				38	12
143	142				63	20
144	143	36+283 - -36+284	L	Sosna	31	10
145	144				31	10
146	145				79	25
147	146	36+286	L	Sosna	94	30
148	147	36+289	L	Sosna	110	35
149	148	36+289	L	Sosna	31	10
150	149	36+297	L	Sosna	79	25
151	150	36+303	L	Sosna	110	35
152	151	36+304	L	Sosna	31	10
153	152	36+304	L	Sosna	63	20
154	153	36+304	L	Sosna	60	19
155	154	36+308	L	Sosna	107	34
156	155	36+316 - -36+317	L	Sosna	63	20
157	156		L	Sosna	63	20
158	157	36+333	L	Sosna	63	20
159	158	36+335	L	Sosna	57	18
160	159	36+340	L	Sosna	79	25
161	160	36+345	L	Sosna	63	20
162	161	36+345	L	Sosna	31	10
163	162	36+348 - -36+352	L	Sosna	63	20
164	163				63	20
165	164				60	19
166	165				60	19
167	166				31	10
168	167				35	11
169	168				31	10
170	169				31	10

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
171	170	36+348 - -36+352	L	Sosna	31	10
172	171				35	11
173	172				31	10
174	173				31	10
175	174	36+353 - -36+360	L	Sosna	31	10
176	175				31	10
177	176				31	10
178	177				63	20
179	178				50	16
180	179				47	15
181	180	36+362	L	Sosna	63	20
182	181	36+362	L	Sosna	31	10
183	182	36+277 - -36+280	P	Sosna	47	15
184	183				38	12
185	184				38	12
186	185				41	13
187	186				38	12
188	187				36+283	P
189	188	36+283	P	Sosna	63	20
190	189	36+286	P	Sosna	110	35
191	190	36+287	P	Sosna	79	25
192	191	36+292	P	Sosna	31	10
193	192	36+293 - -36+294	P	Sosna	38	12
194	193				57	18
195	194	36+299		Sosna	47	15
196	195	36+300		Sosna	63	20
197	196	36+301 - -36+303	P	Sosna	79	25
198	197				31	10
199	198				31	10
200	199	36+307	P	Sosna	88	28
201	200	36+312	P	Sosna	110	35
202	201	36+313	P	Sosna	57	18
203	202	36+318	P	Sosna	38	12
204	203	36+322	P	Sosna	47	15
205	204	36+328	P	Sosna	79	25
206	205	36+328	P	Sosna	79	25
207	206	36+331	P	Sosna	63	20
208	207	36+334	P	Sosna	47	15
209	208	36+338	P	Sosna	60	19
210	209	36+345	P	Sosna	63	20
211	210	36+345	P	Sosna	31	10
212	211	36+347 - -36+348,5	P	Sosna	72	23
213	212				57	18
214	213				79	25
215	214				79	25
216	215				63	20
217	216	36+350 - -36+352	P	Sosna	57	18
218	217				57	18
219	218				31	10
220	219				31	10
221	220	36+354	P	Sosna	63	20
222	221	36+359	P	Sosna	94	30
223	222	36+360	P	Sosna	31	10
224	223	36+370	P	Sosna	110	35
225	224	36+382	P	Sosna	47	15
226	225	36+385	P	Sosna	35	11
227	226	36+400	P	Sosna	94	30
228	227				31	10

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
229	228	36+390 - -36+391	P	Sosna	35	11
230	229				31	10
231	230				47	15
232	231				44	14
233	232	36+395 - -36+396	P	Sosna	63	20
234	233				31	10
235	234				79	25
236	235	36+398	P	Sosna	63	20
237	236	36+398	P	Sosna	63	20
238	237	36+402 - -36+403	P	Sosna	79	25
239	238				79	25
240	239				50	16
241	240				47	15
242	241	36+365 - -36+370	L	Sosna	38	12
243	242				38	12
244	243				38	12
245	244				35	11
246	245				35	11
247	246				38	12
248	247				38	12
249	248				31	10
250	249				63	20
251	250				60	19
252	251				63	20
253	252	63	20			
254	253	36+372 - -36+375	L	Sosna	47	15
255	254				47	15
256	255				79	25
257	256				75	24
258	257				47	15
259	258	50	16			
260	259	36+378 - -36+379	L	Sosna	63	20
261	260				31	10
262	261				31	10
263	262	36+380	L	Sosna	38	12
264	263	36+380	L	Sosna	38	12
265	264	36+384 - -36+390	L	Sosna	63	20
266	265				63	20
267	266				60	19
268	267				31	10
269	268				31	10
270	269				31	10
271	270				35	11
272	271				31	10
273	272	31	10			
274	273	36+390 - -36+393	L	Sosna	31	10
275	274				31	10
276	275				31	10
277	276				35	11
278	277				31	10
279	278	31	10			
280	279	36+402	L	Sosna	79	25
281	280	36+404 - -36+406	L	Sosna	47	15
282	281				47	15
283	282				47	15
284	283				38	12
285	284	36+404 - -36+406	L	Sosna	44	14
286	285				47	15

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
287	286	36+395 - -36+397	L	Sosna	47	15
288	287				47	15
289	288				38	12
290	289				38	12
291	290				38	12
292	291				38	12
293	292				31	10
294	293	36+410 -	L	Sosna	63	20
295	294	-36+412			60	19
296	295	36+416	L	Sosna	94	30
297	296	36+416	L	Sosna	72	23
298	297	36+418 - -36+425	L	Sosna	31	10
299	298				31	10
300	299				31	10
301	300				31	10
302	301				35	11
303	302				38	12
304	303				38	12
305	304				63	20
306	305				63	20
307	306				47	15
308	307	36+403	P	Sosna	94	30
309	308	36+403	P	Sosna	88	28
310	309	36+404 - -36+406	P	Sosna	38	12
311	310				38	12
312	311				38	12
313	312				38	12
314	313				35	11
315	314				35	11
316	315				35	11
317	316	36+409 - -36+412	P	Sosna	57	18
318	317				57	18
319	318				53	17
320	319				63	20
321	320				66	21
322	321	36+415 - -36+416	P	Sosna	31	10
323	322				31	10
324	323				31	10
325	324				31	10
326	325				35	11
327	326	36+417	P	Sosna	69	22
328	327	36+417	P	Sosna	31	10
329	328	36+417	P	Sosna	31	10
330	329	36+419	P	Sosna	85	27
331	330	36+422 - -36+426	P	Sosna	57	18
332	331				57	18
333	332				53	17
334	333				88	28
335	334				110	35
336	335	36+428 - -36+430	P	Sosna	31	10
337	336				31	10
338	337				31	10
339	338				31	10
340	339				35	11
341	340	36+431	P	Sosna	94	30
342	341	36+431	P	Sosna	63	20
343	342	36+434	P	Sosna	63	20
344	343	36+444 -	P	Sosna	88	28

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
345	344	-36+446		Sosna	47	15
346	345				88	28
347	346	36+447 -	P	Sosna	79	25
348	347	-36+449			94	30
349	348				79	25
350	349				31	10
351	350		P	Sosna	31	10
352	351	36+451 -			31	10
353	352	-36+454			31	10
354	353				31	10
355	354				31	10
356	355				35	11
357	356				31	10
358	357	36+460 -	P	Sosna	31	10
359	358	-36+465			31	10
360	359				31	10
361	360				31	10
362	361	36+468			P	Sosna
363	362	36+474	P	Sosna	47	15
364	363		P	Sosna	47	15
365	364	36+480 -			47	15
366	365	-36+481			31	10
367	366				31	10
368	367				31	10
369	368		P	Sosna	31	10
370	369	36+485 -			31	10
371	370	-36+491			31	10
372	371				31	10
373	372				47	15
374	373	36+495	P	Sosna	31	10
375	374	36+498 -	P	Sosna	38	12
376	375	-36+500			31	10
377	376				31	10
378	377	36+502	P	Sosna	31	10
379	378	36+514	L	Olszyna	63	20
380	379	36+514	L	Olszyna	79	25
381	380		L	Olszyna	47	15
382	381				47	15
383	382	36+516 -			47	15
384	383	-36+518			44	14
385	384				44	14
386	385				31	10
387	386	36+531			L	Wierzba
388	387		L	Wierzba	44	14
389	388	36+534 -			47	15
390	389	-36+535			47	15
391	390		L	Olszyna	75	24
392	391	36+541 -			79	25
393	392	-36+542			94	30
394	393	36+546	L	Olszyna	141	45
395	394		L	Olszyna	119	38
396	395	36+551 -			110	35
397	396	-36+553			66	21
398	397	36+557	L	Olszyna	79	25
399	398	36+560	L	Olszyna	110	35
400	399	36+568 -	L	Olszyna	79	25
401	400	-36+569	L	Olszyna	88	28
402	401				110	35

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]	
403	402	36+574 -	L	Olszyna	63	20	
404	403	-36+576			60	19	
405	404				31	10	
406	405	36+536 -	P	Olszyna	63	20	
407	406	-36+538			57	18	
408	407				63	20	
409	408	36+542	P	Wierzba	110	35	
410	409	36+545	P	Wierzba	94	30	
411	410	36+554 -	P	Wierzba	44	14	
412	411				47	15	
413	412				47	15	
414	413				-36+557	47	15
415	414					63	20
416	415					60	19
417	416	36+560	P	Olszyna	173	55	
418	417	36+561 -	P	Olszyna	135	43	
419	418				94	30	
420	419				-36+570	88	28
421	420					94	30
422	421	36+572 -	P	Olszyna	82	26	
423	422				85	27	
424	423				-36+576	94	30
425	424					157	50
426	425					157	50
427	426					100	32
428	427	36+580	P	Olszyna	126	40	
429	428	36+580	P	Olszyna	47	15	
430	429	36+583	P	Olszyna	75	24	
431	430	36+587 -	P	Olszyna	63	20	
432	431	-36+588			110	35	
433	432				44	14	
434	433	36+585 -	L	Olszyna	100	32	
435	434	-36+586			104	33	
436	435				47	15	
437	436	36+589	L	Olszyna	126	40	
438	437	36+590	L	Olszyna	94	30	
439	438	36+590	L	Olszyna	97	31	
440	439	36+595 -	L	Olszyna	110	35	
441	440				110	35	
442	441				-36+597	100	32
443	442					100	32
444	443					38	12
445	444					82	26
446	445	36+605 -	L	Olszyna	132	42	
447	446	-36+608			44	14	
448	447				100	32	
449	448				94	30	
450	449	36+617	L	Olszyna	94	30	
451	450	36+621 -	L	Olszyna	57	18	
452	451				-36+627	38	12
453	452					63	20
454	453					47	15
455	454					31	10
456	455	36+628 -	L	Olszyna	88	28	
457	456	-36+631			47	15	
458	457				126	40	
459	458	36+628 -	L	Olszyna	82	26	
460	459	-36+631			94	30	

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
461	460	36+631			63	20
462	461	36+636	L	Olszyna	79	25
463	462				79	25
464	463	36+640 - -36+643	L	Olszyna	132	42
465	464				119	38
466	465				63	20
467	466				50	16
468	467				36+591	P
469	468	36+597 - -36+600	P	Olszyna	79	25
470	469				94	30
471	470				57	18
472	471	36+606 - -36+608	P	Olszyna	63	20
473	472				110	35
474	473				94	30
475	474	36+611 - -36+612	P	Olszyna	63	20
476	475				66	21
477	476				79	25
478	477				75	24
479	478	36+616 - -36+619	P	Olszyna	126	40
480	479				110	35
481	480				63	20
482	481	36+624	P	Olszyna	173	55
483	482	36+633 - -36+641	P	Olszyna	63	20
484	483				100	32
485	484				31	10
486	485				82	26
487	486				47	15
488	487				44	14
489	488				88	28
490	489				63	20
491	490				36+647 - -36+651	P
492	491	38	12			
493	492	31	10			
494	493	38	12			
495	494	63	20			
496	495	36+653 - -36+654	P	Olszyna	31	10
497	496				31	10
498	497				44	14
499	498	36+656 - -36+658	P	Olszyna	57	18
500	499				57	18
501	500				31	10
502	501				47	15
503	502	36+812 - -36+814	L	Sosna	31	10
504	503				35	11
505	504				63	20
506	505	36+818 - -36+820	L	Sosna	132	42
507	506				31	10
508	507				119	38
509	508				82	26
510	509	36+825 - -36+827	L	Sosna	31	10
511	510				31	10
512	511				31	10
513	512				31	10
514	513				31	10
515	514				31	10
516	515				31	10
517	516				31	10
518	517	36+825 -	I	Sosna	31	10

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
519	518	-36+827	L	Sosna	35	11
520	519				63	20
521	520				63	20
522	521				47	15
523	522				44	14
524	523	36+829 -	L	Sosna	63	20
525	524	-36+840			66	21
526	525				57	18
527	526				72	23
528	527				94	30
529	528				94	30
530	529				31	10
531	530	36+851 -	L	Sosna	38	12
532	531	-36+860			57	18
533	532				63	20
534	533				69	22
535	534				100	32
536	535	36+828 -	P	Sosna	47	15
537	536	-36+829			47	15
538	537				47	15
539	538	36+834 -	P	Sosna	104	33
540	539	-36+837			47	15
541	540				57	18
542	541	36+841	P	Sosna	69	22
543	542	36+854,5	P	Sosna	157	50
544	543	36+855	P	Topola	94	30
545	544				47	15
546	545	36+861 -	P	Sosna	144	46
547	546	-36+866			31	10
548	547				47	15
549	548	36+869 -	P	Sosna	157	50
550	549	-36+877			31	10
551	550	36+884	P	Sosna	110	35
552	551	36+892	P	Sosna	31	10
553	552	36+900	P	Sosna	38	12
554	553				63	20
555	554				57	18
556	555				63	20
557	556				47	15
558	557				47	15
559	558				47	15
560	559				50	16
561	560	36+885 -	L	Sosna	50	16
562	561	-36+888			44	14
563	562				44	14
564	563				47	15
565	564				38	12
566	565				38	12
567	566				35	11
568	567				35	11
569	568				35	11
570	569				31	10
571	570	36+895 -	L	Sosna	31	10
572	571	-36+896			31	10
573	572				69	22
574	573	36+898	L	Brzoza	38	12
575	574				31	10
576	575	36+898 -	L	Sosna	31	10
		-36+899				

Lp.	Nr	Kilometraż ewidencyjny	Strona drogi	Gatunek	Obwód pnia [cm]	Średnica [cm]
577	576	36+907			44	14
578	577	36+907 - -36+908	L	Sosna	63	20
579	578				63	20
580	579				72	23
581	580				94	30
582	581	36+918 - -36+923	L	Sosna	85	27
583	582				104	33
584	583				119	38
585	584	36+926 - -36+929	L	Sosna	110	35
586	585				110	35
587	586	36+933 - -36+936	L	Sosna	79	25
588	587				107	34
589	588				31	10
590	589	36+941 - -36+945	L	Sosna	47	15
591	590				57	18
592	591	36+901 - -36+904	P	Sosna	63	20
593	592				38	12
594	593	36+910	P	Sosna	47	15
595	594	36+910	P	Sosna	47	15
596	595	36+918	P	Sosna	88	28
597	596	36+921	P	Sosna	79	25
598	597	36+924 - -36+926	P	Sosna	72	23
599	598				31	10
600	599				110	35
601	600	36+934 - -36+936	P	Sosna	116	37
602	601				119	38